

DATE: \_\_\_\_\_

Ontario Johne's Project 2010  
Beef Cow-Calf Johne's Awareness Project

Pre-visit Survey for Johne's Disease Knowledge

Herd: \_\_\_\_\_ Person completing survey: \_\_\_\_\_

1. Johne's disease is caused by a (*circle one*) virus bacteria parasite

**BONUS** mark : the cause is called \_\_\_\_\_  
(*hint – the initials are MAP*)

2. List two signs of clinical (sickness) Johne's disease:

\_\_\_\_\_  
\_\_\_\_\_

3. Johne's can spread readily from: (*for each pairing circle either True or False*)

Cow to calf	True	False
Calf to calf	True	False
Bull to cow	True	False
Cow to cow	True	False

4. Animals with Johne's disease spread infection mainly in, or by: (*circle all you agree with*)

Saliva Manure Urine Aerosol (breathing) Contact (touching)

5. Animals with Johne's disease can be treated and cured. True False

6. Most animals infected with Johne's disease show no signs. True False

7. Blood testing of cattle detects less than half of the truly infected cows. True False

8. As infected cattle get older, Johne's tests are more likely to be positive. True False

9. What is the most important way Johne's spreads from one herd to another?  
\_\_\_\_\_

10. Once in a **beef cow-calf** herd, Johne's most likely spreads. True False

11. The best way to keep Johne's disease from spreading through your herd is to:  
\_\_\_\_\_  
\_\_\_\_\_